

**Amendments to the Claims:**

*This listing of claims will replace all prior versions, and listings, of claims in the application:*


1. (Currently Amended) A photocurable composition for forming a dielectric layer on a substrate, the photocurable composition comprising:

a first acrylated oligomer;

a second acrylated oligomer having a viscosity less than the first;


a wax;

an acrylated monomer wherein comprising a component having formula I:



---

wherein R<sub>1</sub> is hydrogen or substituted or unsubstituted alkyl; and R<sub>2</sub> is



---

wherein R<sub>3</sub> is hydrogen or a substituted or unsubstituted alkyl; and

a photoinitiator.

2. (Original) The photocurable composition of claim 1 wherein the first acrylated oligomer comprises a component selected from the group consisting of an acrylated epoxy oligomer, an acrylated polyester oligomer, acrylated silicone oligomer, acrylated acrylic

oligomer, acrylated urethane oligomer, an acrylated melamine oligomer, and mixtures thereof.

3. (Original) The photocurable composition of claim 1 wherein the first acrylated oligomer comprises aliphatic urethane acrylate.

4. (Original) The photocurable composition of claim 3 wherein the aliphatic urethane acrylate comprises a component selected from the group consisting of aliphatic urethane monoacrylates, aliphatic urethane diacrylates, aliphatic urethane triacrylates, and mixtures thereof.

5. (Original) The photocurable composition of claim 1 wherein the second acrylated oligomer comprises a component selected from the group consisting of an acrylated epoxy oligomer, an acrylated polyester oligomer, acrylated silicone oligomer, acrylated acrylic oligomer, acrylated urethane oligomer, an acrylated melamine oligomer, and mixtures thereof.

6. (Original) The photocurable composition of claim 1 wherein the second acrylated oligomer comprises a component selected from the group consisting of an aliphatic monoacrylates oligomer, aliphatic diacrylate oligomer, an aliphatic triacrylate oligomer, and mixtures thereof.

7 - 8. (Cancelled)

9. (Original) The photocurable composition of claim 4 wherein the acrylated monomer comprises a component selected from ethylene glycol dicyclopentyl ether acrylate, an isobornyl acrylate, diethylene glycol dimethacrylate and mixtures thereof.

10. (Original) The photocurable composition of claim 1 wherein the wax comprises a micronized wax.

11. (Original) The photocurable composition of claim 1 wherein the wax comprises a polyolefin wax.

12. (Original) The photocurable composition of claim 1 further comprising a talc.

13. (Original) The photocurable composition of claim 1 wherein:  
the first acrylated oligomer is present in an amount from about 5 weight percent to about 80 weight percent;

the second acrylated oligomer is present in an amount from about 1 weight percent to about 30 weight percent;

the wax is present in an amount from 1 weight percent to about 60 weight percent;

the acrylated monomer is present in an amount from about 5 weight percent to about 80 weight percent; and

the photoinitiator is present in an amount from about 0.1 weight percent to about 20 weight percent.

14. (Original) The photocurable composition of claim 1 further comprising an amine functional acrylate co-initiator.

15. (Original) The photocurable composition of claim 1 further comprising a component selected from a pigment, a flow promoting agent, and mixtures thereof.


16. (Currently Amended) A photocurable composition for forming a dielectric layer on a substrate, the photocurable composition comprising:

an aliphatic urethane acrylate;

an acrylated oligomer having a viscosity less than the aliphatic urethane acrylate;


a polyolefin wax;

an acrylated monomer comprising a component having formula I:



---

wherein R<sub>1</sub> is hydrogen or substituted or unsubstituted alkyl; and R<sub>2</sub> is



---

wherein R<sub>3</sub> is hydrogen or a substituted or unsubstituted alkyl; and  
a photoinitiator.

17. (Original) The photocurable composition of claim 16 wherein the aliphatic urethane acrylate comprises a component selected from the group consisting of aliphatic urethane monoacrylates, aliphatic urethane diacrylates, aliphatic urethane triacrylates, and mixtures thereof.

18. (Original) The photocurable composition of claim 16 wherein the acrylated oligomer having a viscosity less than the aliphatic urethane acrylate comprises a component selected from the group consisting of an acrylated epoxy oligomer, an acrylated polyester oligomer, acrylated silicone oligomer, acrylated acrylic oligomer, acrylated urethane oligomer, an acrylated melamine oligomer, and mixtures thereof.

19. (Original) The photocurable composition of claim 16 wherein the acrylated oligomer having a viscosity less than the aliphatic urethane acrylate comprises a

component selected from the group consisting of an aliphatic monoacrylates oligomer, aliphatic diacrylate oligomer, an aliphatic triacrylate oligomer, and mixtures thereof.

20-21. (Cancelled)

22. (Original) The photocurable composition of claim 16 wherein the acrylated monomer comprises a component selected from ethylene glycol dicyclopentyl ether acrylate, diethylene glycol dimethacrylate an isobornyl acrylate, and mixtures thereof.

23. (Original) The photocurable composition of claim 16 wherein the polyolefin wax comprises a micronized polyolefin wax.

24. (Original) The photocurable composition of claim 16 wherein the polyolefin wax comprises a wax selected from the group consisting of polyethylene, polypropylene, and mixtures thereof.

25. (Original) The photocurable composition of claim 16 wherein:  
the aliphatic urethane oligomer is present in an amount from about 5 weight percent to about 80 weight percent;  
the acrylated oligomer is present in an amount from about 1 weight percent to about 30 weight percent;  
the polyolefin wax is present in an amount from 1 weight percent to about 60 weight percent;  
the acrylated monomer is present in an amount from about 5 weight percent to about 80 weight percent; and  
the photoinitiator is present in an amount from about 0.1 weight percent to about 20 weight percent.

26. (Original) The photocurable composition of claim 16 further comprising an amine functional acrylate co-initiator.

27. (Original) The photocurable composition of claim 16 further comprising a component selected from a pigment, a flow promoting agent, and mixtures thereof.

28. (Currently Amended) A photocurable composition for forming a dielectric layer on a substrate, the photocurable composition comprising:


an aliphatic urethane acrylate;

an acrylated oligomer having a viscosity less than the aliphatic urethane acrylate;

a polyolefin wax;


an isobornyl acrylate;

~~an ethylene glycol dicyclopentyl ether acrylate~~ an acrylated monomer comprising a component having formula I:



---

wherein R<sub>1</sub> is hydrogen or substituted or unsubstituted alkyl; and R<sub>2</sub> is



---

wherein R<sub>3</sub> is hydrogen or a substituted or unsubstituted alkyl;

amine functional acrylate co-initiator; and

a photoinitiator.

29. (Original) The photocurable composition of claim 27 wherein:

the aliphatic urethane oligomer is present in an amount from about 5 weight percent to about 80 weight percent;

the acrylated oligomer is present in an amount from about 1 weight percent to about 30 weight percent;

the wax is present in an amount from 1 weight percent to about 60 weight percent;

the isobornyl acrylate is present in an amount from about 5 weight percent to about 80 weight percent;

the an ethylene glycol dicyclopentyl ether acrylate is present in an amount from about 5 weight percent to about 80 weight percent;

the amine functional acrylate co-initiator is present in an amount from about 1 weight percent to about 10 weight percent;

a talc present in an amount from about 0.1 weight percent to about 25 weight percent; and

the photoinitiator is present in an amount from about 0.1 weight percent to about 20 weight percent.

30. (Original) The photocurable composition of claim 27 further comprising a pigment and a flow promoting agent.

31. (New) The photocurable composition of claim 1 wherein  $R_1$  is hydrogen or methyl.

32. (New) The photocurable composition of claim 16 wherein  $R_1$  is hydrogen or methyl.